- * All rights reserved.
- *Copyright is owned by KIN LONG.
- Any copying or printing is strictly forbidden.
- *All products have been patented in China, and imitation is strictly for bidden, otherwise, any violators will bear the legal responsibility.
- * Printed in Jan,2020



RichScan, for more information







Stainless Steel Bathroom
Hardware Typical Product Catalogu

GUANGDONG KIN LONG HARDWARE PRODUCTS CO.,LTD

NO.3 Jianlang RD,Daping Industrial Zone,Tangxia Town,Dongguan City,China

T: 0086-769-82166666 82136666 F: 0086-769-82955269 82955268

E: mail@kinlong.com
H: www.kinlong.com



Stainless Steel Bathroom Hardware Typical Product Catalogue





There are some differences between the picture and the real products, please refer to the real products. The dimension in the catalogue may differ slightly with the real products, KIN LONG reserves the right to modify or cancel the products mentioned above without prior notice.



Product Features

Good Mechanical Properties

Stainless steel has good tensile strength, yield strength and other mechanical properties. Its strength, hardness is much higher than copper, aluminium, zinc alloy and other common-used materials. It has resistance to deformation, abrasion resistance and large bearing.

Long Service Life

Stainless steel bathroom products have good properties of mechanical and corrosion resistance. If it is installed properly and maintained well, that can be used for decades or even longer.

Strong Corrosion Resistance

Hand polishing surface is more compact. The surface formed chromium oxide has strong corrosion resistance. The high quality CF8 or 304 stainless steel can bear up to 300 hours salt spray test.

Easy Cleaning and Maintenance

Polishing finish is not easy to attach dust, therefore, it is convenient to clean and maintain. And, it can ensure products to look new for a long time, and will not fall off coating or oxidation.

Easy to Judge Product Quality

Stainless steel bathroom products usually has polishing finish. It can be judged quality by eye directly. Do not need to worry about coating problem.

Environment Friendly

Stainless steel does not contain lead and other harmful heavy metals. The material is safe to make faucet.





FOR BETTER LIVING






WORLD PROJECTS





People-oriented design concept, advocating the perfect combination of vision and touch, difficult to detect exquisite details, fully elegant and noble.





WORLD PROJECTS

_	Project Name (Public Building)
	The first Affiliated Scientific Research Building #1 of Traditional ChineseMedica
	Mike Biomedical Products R & D Production Base
	ShanXi TaiYuan Women's and Children's Hospital
	WuXi New District XinRui Hospital
	The South Plot Project of NingBo 9th Hospital
	ChangSha High-Tech Hospital Medical Technology Building
	Qingdao Hui Sheng Maternity Hospital Decoration Project
	HongAi Hospital
	RuiLi JingCheng People's Hospital
	XiaMen RuXin Maternal and Infant Hospital
	Department of internal medicine, tongji hospital, tongji medical college, hua
	university of science and technology
	Beijing union university comprehensive building phase ii
	Chengdu wuhou foreign language school new campus
	WeiZhi Campus
	Liupanshui city shuicheng county baiche river scenic spa project
	The south plot project of ningbo ninth hospital
	ChangSha High-Tech Hospital Medical Technology Building
	Qingdao Hui Sheng Maternity Hospital Decoration Project
	RuiLi JingCheng People's Hospital
	Guangzhou second home for the aged phase ii project
	Sports and fitness center in zone B, no.1 island, nanhai island, China
	China construction bank Qingdao training center and building renovation project
	Yucheng chunlai experimental school
	Shenyang metro line 10 project
	Shenyang metro line 9 (phase I) project
	Shanghai armed police college of political science dormitory hotel room building
	Yuyao experimental high school
	ShanXiTaiYuan Women's and Children's Hospital

TianMa Centre Plaz	а
NanNing AnJi Wand	da Plaza
FuYue CaiFu Plaza	
HongJi XinDu Busin	ess Building
GuiYang North Stati	ion Western Plaza
QiBao Town BaoLo	ng City Plaza
BaoLong City Plaza	
YinFan Plaza	
DongErHuan TaiHe	City Plaza
WanHang Plaza	
HanZhong ShengSi	hi International Commercial Plaza
HengQin LongYi Pla	aza
DongFang XiWang	TianXiang Plaza
HengLong Plaza	
KunShan CaiFu Pla	za
TongLuoWan Plaza	1
TianJing BinHai Nev	v Block JinLong KaiYuan Plaza Project
YinGu Plaza	
RunHua JinDi Plaza	1
_iaoBu BiGuiYuan (JiaLi Plaza)
engYe Town (AoT	eLaiSi Plaza)
SuZhou JiaRun (Xie	Xing Plaza)
TianJin WanDe Pla	za
HuaRun Center (Yu	eFuHe WanXiang Plaza)
Moscow LT Busines	ss Centre Project
ZhengZhou JinShui	WanDa Center
HuaYuanHua Cente	er
New Century Buildir	ng (XinJiang CaiFu Center)
ShangHaiWai GaoC	Qiao International Tool Center(2nd)



Project Name (Hotel)
Huaxia five-star hotel
Panjin Oriental Ginza Pullman hotel
HYATTY H2 Hotel Bathroom
Blue Sea Grand Hotel
Shangri-la ShiLi Hilton garden hotel (renovation and expansion) project
Qingdao huanhaigloria business hotel
Junyue wellwishing hotel
Xishuangbanna meng bara yue chun hotel
Jishou gloria hotel
New terminal area overnight guest room (including four-star hotel)
Hailiutu Grand hotel
A4 KunYue Hotel
Fuzhou baixiang seaview hotel
Suzhou yangcheng lake metropark international resort (business travel center
Qinghai silver dragon hotel
Cui yi hotel
Shenyang Oriental ginza international hotel
Songjiang shimao mini hotel
Dujiangyan holiday inn
Dali canghai yishu (Hilton Hotel)
Shanghai armed police college of political science dormitory hotel room buildin
Yu hong boutique hotel
Qilu times garden hotel, zoucheng city, shandong province
Century jiayuan hotel
The Hard Rock Hotel
Xuzhou peixian qiaocheng hotel
SanYa YaCheng Staten hotel
Huanjiang maonan ethnic hotel hardware project
WanYi hotel

P	roject Name (Interior Decoration)
Luz	rhou jiale century city
	ongqing longhu U city
	ze colorful hotel
	een City · Blue Bay Town Zonglv Yuan
Chi	na MeiLin Lake
Jin	Shang Famous City
Lur	neng sanya bay High Block #3
Gre	een City · Blue Bay Town BaiHe Yuan
Fin	ancial Street · Sea World
Xia	ngshan international garden, cuihu, zhuhai city
Kur	nwa MiDun city
Chi	na MeiLin Lake
Gre	een City · Blue Bay Town DanGui Yuan
Nai	nJing Luneng residence
Hel	Hong QingShui Bay · NanGuo Qiao City
Gre	een City · Blue Bay Town DanGui Yuan
Jiar	ngShanHui Housing
Jas	mine mansion
Gre	een City · Blue Bay Town HaïTang Yuan
Hua	aRun colorful city
Dai	nYang JinYing
XiV	an YangGuang TianDi
Bei	Shang Bay Park Phase II
Tai	Hao ShenLan InternationI Building
Hua	aYuan HaiLan City
Liul	HeYue City
Wu	hu weixing jinyu blue bay
Coi	untry garden shatin waterfront garden
Car	mbridge JiuXi County
Hel	Hong QingShui Bay· NanGuo Qiao City

PATENT CERTIFICATION


























INDICATION OF PRODUCT USE PLACE



Home is a port. You will feel comfort when you return home and enjoy life in each evening, which is the most comfortable experience.

The small space with huge show our endless creativity and also show our specialization.





Simple and unique design elements fully demonstrate trendy style, simple but delicate and unusual, full of fresh and trendy life sense. We are happy in designing every brilliance for life. We are creating happy home, for enjoyment of fashion and harmony.



INDEX



PENDANT SERIES 17-34



PUBLIC HARDWARE 35-44



AUXILIARY HARDWARE 45-52





HOME HARDWARE 53-69



SHOWER ROOM ACCESSORIES 71-93



PENDANT SERIES



Hanging Basket

WGL10000		29
WGL20000		30
WGL30000		30
WGL40000		30
Clothes H	look	
WYG10000		33
WYG20000		34

PUBLIC HARDWARE





Floor Drain	
WGD40000	37
WGD50000	39
WGD80000	49

Handrail

WFS31000	4
WFS11000	4;
WFS12000	4;
WFS13000	4
WES/1000	

AUXILIARY HARDWARE



Cosmetic Mirror	
WHJ10000	48
WHJ20000	48
Clathan Danka	
Clothes Racks	
WFJ21000	48

Tissue Box

WZH10000	 5
W7H20000	 5



HOME HARDWARE



Cabinet Door Hinge	55
Guide rail of the drawer	61
Cabinet Door Handle	65
Cabinet Door Supporting	67
Furniture Accessories	69

SHOWER ROOM ACCESSORIES



WHY12000	75
WHY31000	76
Fixing Clamp	
WWB11000	77
WWB12000	78
WWB31000	78
Support Bar	
WCG10000	79
WCG50000	80
WCG20000	81
WTL10000	82
WTL20000	82


WHY11000 ----- 74

Glass Door Hinge

Side-hun	g Shaft	
WYP10000		83
WYP13000		84
WYP14000		84
Handle		
WLS100		85
WLS500		86
Strip		
WJT10000		89
WJT20000		90
WJT30000		91
WJT40000	***************************************	91

PENDANT SERIES

Trying to reach a balance between function and esthetics, the products embody your lift attitude via dedicate, unique and simple appearances. The superior quality endows you great comfortable feeling and the considerable design with the treat of convenience and practicality.







WWG17010

Original Code: WG1701 Product Name: Towel Shelf





WWG17040

Original Code: WG1704 Product Name: Towel Shelf







WWG17220

Original Code: WG1722 Product Name: Tissue Holder





WWG17240

Original Code: WG1724 Product Name: Toilet Brush





WWG19010

Original Code: WG1901 Product Name: Towel Shelf





WWG19030

Original Code: WG1903 Product Name: Towel Shelf






WWG1903A

Original Code: WG1903A Product Name: Towel Shelf








WWG19040


Original Code: WG1904 Product Name: Towel Shelf






WWG19050

Original Code: WG1905 Product Name: Towel Shelf





WWG19340

Original Code: WG1934 Product Name: Towel Shelf








WWG35010

Original Code: WG3501 Product Name: Towel Shelf






WWG35040

Original Code: WG3504 Product Name: Towel Shelf








WWG35210

Original Code: WG3521 Product Name: Tissue Holder





WWG35240

Original Code: WG3524 Product Name: Toilet Brush






WWG3801A

Product Name: Towel Shelf






WWG3804A

Product Name: Towel Shelf







Product Name: Tissue Holder





WWG3824A

Product Name: Toilet Brush






WWG40010


Original Code: WG4001 Product Name: Towel Shelf






WWG40040

Original Code: WG4004 Product Name: Towel Shelf







WWG40210

Original Code: WG4021 Product Name: Tissue Holder





WWG40240

Original Code: WG4024 Product Name: Toilet Brush





WWG41010


Original Code: WG4104 Product Name: Towel Shelf






WWG41040

Original Code: WG4104 Product Name: Towel Shelf







WWG41210

Original Code: WG4121 Product Name: Tissue Holder






WWG41240

Original Code: WG4124 Product Name: Toilet Brush





Main Material: Stainless Steel+Zinc Alloy Finish: Dark Bronze ORB




WWG60010

Product Name: Towel Shelf










WWG60040

Product Name: Towel Shelf



WWG60210

Product Name: Tissue Holder







WWG62010

Product Name: Towel Shelf







WWG62040

Product Name: Towel Shelf









Main Material:201+Zinc Alloy Finish: Dark Bronze ORB



WWG62210

Product Name: Tissue Holder





WWG62240

Product Name: Toilet Brush





Product Name: Hanging Basket Main Material: SS304 Finish: Mirror



WGL10030

Original Code: GL103 Dimensions: 220*220*60





WGL10050

Original Code: GL105 Dimensions: 230*230*60





WGL10040

Original Code: GL104 Dimensions: 215*215*60



Product Name: Hanging Basket Main Material: SS304 Finish: Mirror





WGL20030

Original Code: GL203 Dimensions: 250*176*60





WGL20040

Original Code: GL204 Dimensions: 265*120*60





WGL20050

Original Code: GL205 Dimensions: 275*140*60





WGL30010

Original Code: GL301 Dimensions: 250*250*320





WGL30020

Original Code: GL302 Dimensions: 230*230*320





WGL40030

Original Code: GL403 Dimensions: 275*140*500





Product Name: Hanging Basket Main Material: SS304 Finish: Mirror or Matte black





WGL11010 WGL21010





WGL12010 WGL22010





WGL13010 WGL23010





Product Name: Kitchen Storage Rack



WYG0004A

Original Code: YG0004A Product Name: Clothes Hook Patent Number: CN201330230902.0





WYG53680

Original Code: YG5368 Product Name: Clothes Hook Patent Number: CN201430047199.4



Product Name: Clothes Hook







Product Name: Towel Bar





Product Name: Clothes Hook Main Material: SS304

Finish: Mirror





WYG10040-3 WYG10040-5





WYG10050-3 WYG10050-5





WYG10060-3

WYG10060-5

Product Name: Clothes Hook Main Material: Zinc Alloy Finish: Chrome Plated







WYG20010-3

WYG20010-5



A-Y-Y-Y-Y

WYG20020-3

WYG20020-5






WYG20030-3

WYG20030-5

PUBLIC HARDWARE

Returning to origin and nature, with fresh matching and dedicate ornaments .Softening the indoors straight lines or rim angles with are ornaments indicates our thirst for nature.





Main Material: SS304

Finish: satin

Applicable thickness: 12mm/18mm





Original Code: GD401 Product Name: Mounting bracket



WGD40020

Original code: GD402 Product name: Mounting header bracket





WGD40040

Original Code: GD404 Product Name: Header Corner



WGD40050

Original Code: GD405 Product Name: Indicative Lock



WGD40060

Original Code: GD406 Product Name: Clothes Hook





Main Material: SS304

Finish: satin

Applicable thickness: 12mm/18mm



WGD50010

Original Code: GD501 Product Name: Mounting Bracket



Original Code: GD502 Product Name: Mounting Header Bracket



WGD5003L/R

Original Code: GD503 Product Name: Hinge



WGD50040

Original Code: GD504 Product Name: Corner Bracket



WGD50050


Original Code: GD505 Product Name: Indicative Lock



WGD50060

Original Code: GD506 Product Name: Clothes Hook











Open-inside on the left, choosethe left type of hinge



Open-inside on the right, choose the right type of hinge



Open-outside on the left, choose the right type of hinge



Open-outside on the right, choosethe left type of hinge

Main Material: SS304 Finish: satin



WGD40080

Original Code: GD408 Product Name: Bracket Installation: Fixed on the wall



WGD40090

Original Code: GD409 Product Name: Elbow



WGD50100

Original Code: GD510 Product Name: Pipe Diameter: Ø 32mm



WGD50120

Original Code: GD512 Product Name: Lock Plate Marks: It's used for open-in doors



WGD80020

Product Name: Corner Bracket



WGD80120

Product Name: Corner Bracket



WGD80050


Product Name: Indicative Lock Applicable Thickness: 12-15mm



WGD80150

Product Name: Indicative Lock Applicable Thickness: 12-15mm













Product Name: Safety Handle Main Material: Nylon+Aluminium Alloy

Finish: Yellow+Mirror Function:Anti-skid









AUXILIARY HARDWARE

Listening to the words of life silently, touching the steps of times lightly, tasting the perfect space belongs to you, and then the heart will be light-hearted.









WHJ10040

Original Code: HZJ104
Product Name: Cosmetic Mirror

Main Material: Brass Finish: Chromeplate

Feature: Plane mirror & Magnifier 3 times



Original Code: HZJ108
Product Name: Cosmetic Mirror

Main Material: Brass Finish: Chromeplate

Feature: Plane mirror & Magnifier 3 times



WHJ20060

Original Code: HZJ206
Product Name: Cosmetic Mirror

Main Material: Brass Finish: Chromeplate Feature: Magnifier 3 times Source of light: LED Input Voltage: AC220V Terminal: 3 pin



WFJ21010

Original Code: LY01 Product Name: Clothes Racks Main Material: SS304

Finish: Mirror

Minimum rope length: 2.2m Maximum Capacity: 5kg

WFJ21020

Original Code: LY01
Product Name: Clothes Racks
Main Material: SS304

Finish: Mirror

Minimum rope length: 2.2m Maximum Capacity: 5kg





Product Name: Tissue Box Main Material: SS304



WZH10030

Original Code: ZH103 Finish: Mirror



WZH10050

Original Code: ZH105 Finish: Mirror



WZH10060

Original Code: ZH106 Finish: Satin



WZH10070

Original Code: ZH107 Finish: Satin



WZH10080

Original Code: ZH108 Finish: Mirror



WZH1009A

Original Code: ZH109A Finish: Mirror





Product Name: Tissue Box Main Material: SS304 Finish: Mirror

WZH10100

Original Code: ZH110



WZH10110

Original Code: ZH111



WZH10120

Original Code: ZH112



WZH10130

















Original Code: ZH204

HOME HARDWARE





Product Name: Cabinet Door Hinge Main Material: Cold-rolled steel sheet

Finish: Nickel-plated Opening Angle: 110°

Applicable thickness of door: 14-22mm Maximum loading capacity: 8Kg/pair

Feature: 2 speed,opening and closing softly,hydraulic cushion Diameter of hinge cup: 35mm





Full cover





WJY1201A

Original Code: WJY12A1

Original Code: WJY12A2



Half cover



WJY1201C

Original Code: WJY12A3



Concealed

Product Name: Cabinet Door Hinge Main Material: Cold-rolled steel sheet

Finish: Nickel-plated Opening Angle: 110°

Applicable thickness of door: 14-22mm Maximum loading capacity: 8Kg/pair

Feature: 2 speed, opening and closing softly, hydraulic cushion, detachable Diameter of hinge cup: 35mm







Full cover

Original Code: WJY22A1

WJY2201A





Half cover

WJY2201B

Original Code: WJY22A2





Original Code: WJY22A3





Product Name: Cabinet Door Hinge

Main Material: SS304 Finish: Electrolyzation Opening Angle: 110°

Applicable door thickness: 14-22mm Maximum loading capacity: 8Kg/pair

Feature: 2 speed, opening and closing softly, hydraulic cushion

Diameter of hinge cup: 35mm





Full cover





WJY1211A



Half cover





Concealed

WJY1211C

Product Name: Cabinet Door Hinge

Main Material: SS304 Finish: Electrolyzation Opening Angle: 110°

Applicable door thickness: 14-22mm Maximum loading capacity: 8Kg/pair

Feature: 2 speed,opening and closing softly,hydraulic cushion and detachable. Diameter of hinge cup: 35mm







WJY2211A







WJY2211B





WJY2211C



Product Name: Cabinet Door Hinge Main Material: Cold-rolled steel sheet

Finish: Nickel-plated
Opening Angle: 110°
Applicable thickness of door: 14-22mm
Maximum loading capacity: 8Kg/pair

Feature: 2 speed, opening and closing softly, hydraulic cushion Diameter of hinge cup: 40mm





WJY1202A





WJY1202B





WJY1202C

Product Name: Cabinet Door Hinge Main Material: Cold-rolled steel sheet

Finish: Nickel-plated Opening Angle: 110°

Applicable thickness of door: 14-22mm Maximum loading capacity: 8Kg/pair

Feature: 2 speed, opening and closing softly, hydraulic cushion, detachable

Diameter of hinge cup: 40mm







WJY2202A





WJY2202B







Product Name: Guide rail of the drawer Main Material: Cold-rolled steel sheet

Finish: Black


Maximum loading capacity: 45kg


Feature: Three parts all to be pulled out , with location capability, with buffer and collision avoidance structurally and with silence moving





Length:10" 12" 14" 16" 18" 20"





Product Name: Guide rail of the drawer Main Material: Cold-rolled steel sheet

Finish: Black

Maximum loading capacity: 45kg


Feature: Three parts all to be pulled out, with automatic reset, with buffer and collision avoidance structurally and with silence moving






Length:10" 12" 14" 16" 18" 20"

Product Specification







Product Name: Guide rail of the drawer

Main Material: Environment Friendly Galvanized

Sheet


Finish: Zinc Plated


Maximum loading capacity: 25kg Feature: Two rails,3/4 parts to be pulled out,with silence moving, with silence moving, with automatic reset, with anti-collision and anti-trip and damping buffered function.





Length:12" 14" 16" 18"









Product Name: Handle Main Material: SS304

Finish: Satin





WJL12010 WJL12020





WJL12030





WJL12080 WJL12090 WJL22010

Main Material: Aluminium alloy Finish: Silver Anodizing

WJL22020

Main Material: Aluminium alloy Finish: Silver Anodizing

WJL32010

Main Material: Zinc Alloy Finish: Nickel-plated

WJL32140

Main Material: Zinc Alloy Finish: Nickel-plated



Product Name:Pneumatic Support Main Material: Steel+Plastic Finish: Plating+Spraying Maximum Stroke:90mm


Scope of Application:cabinets,wardrobes,e

tc.

Length Specification:10"

Lifting Specifications:80N、100N、120N











Open Angle

WJC10030

WJC10010

WJC10020

chematic diagram of pneumatic support for upturn door

Product Name:Pneumatic Support Main Material: Steel+Plastic Finish: Plating+Spraying Maximum Stroke:90mm Scope of Application:cabinets,wardrobes,

etc.


Length Specification:10"

Lifting Specifications:80N、100N、120N









WJC10050

WJC10040











WJF11010

Product Name: Clothes Rail Bracket Main Material: Zinc Alloy Finish: Chrome Plated





Finish: Mirror

WJF11020

Product Name: Clothes Rail Bracket Main Material: Zinc Alloy Finish: Chrome Plated
















SHOWER ROOM ACCESSORIES

Remembering the pastimes in the silent moment, there are too many things to treasure carefully, too many things to taste slightly.





Product Function Icon



Open doors Unidirectional



Open doors Bldirectional




Elastic Reset



Maximum Opening Angel 90°




Maximum Opening Angel 180°





Door leaf and wall installed at angle 90°






Door leaf and glass installed at angle 90°





Door leaf and glass installed at angle 135°






Door leaf and glass installed at angle 180°





Fix the doors on the ground

Elastic Reset Diagram





The door can automatically return to $0\ensuremath{^\circ}$ position when closed to 25° position

Surface Finish











Rose Gold Hairline



Gun-Black Hairline



Titanium Gold




KIN LONG



Main Material: SS304 Finish: Mirror/Satin

Glass Door Thickness: 8-12mm Glass Door Width: 600-800mm Maximum Door Weight:65kg/pair Function: 双 90 弹 迎






WHY11010

Original Code: Y1101








WHY11020

Original Code: Y1102








WHY11030

Original Code: Y1103








WHY11040

Original Code: Y1104








WHY11050

Original Code: Y1105








WHY11060










WHY12010

Original Code: Y1201







WHY12020

Original Code: Y1202




Product Name: Glass Door Hinge

Glass Door Thickness: 8-12mm Glass Door Width: 600-800mm Maximum Door Weight:65kg/pair Function: 双 90 弹 迎

Main Material: SS304 Finish: Mirror/Satin






WHY12030

Original Code: Y1203








WHY12040

Original Code: Y1204








WHY12050

Original Code: Y1205







WHY12060



Product Name: Glass Door Hinge

Main Material: SS304 Finish: Mirror/Satin

Glass Door Thickness: 8-10mm Glass Door Width: 600-800mm Maximum Door Weight:45kg/pair Function: 双 90 弹 20















WHY31020

Original Code: Y3102








WHY31030

Original Code: Y3103








WHY31040

Original Code: Y3104







WHY31050





Product Name: Fixing Clamp Main Material: SS304 Finish: Mirror/Satin

Glass Door Thickness: 8-12mm

Hole Size: Ø16

Install Location: Glass and wall or

Glass and Glass



WWB11010

Original Code: WB1101





WWB11020

Original Code: WB1102





WWB11050

Original Code: WB1105





WWB11080

Original Code: WB1108





WWB12010

Original Code: WB1201



Product Name: Fixing Clamp Main Material: SS304 Finish: Mirror/Satin Hole Size: Ø16

Install Location: Glass and wall

or Glass and Glass





Original Code: WB1202 Glass Door Thickness: 8-12mm





WWB12030

Original Code: WB1203 Glass Door Thickness: 8-12mm





WWB12080

Original Code: WB1208
Glass Door Thickness: 8-12mm





WWB31010

Original Code: WB3101 Glass Door Thickness: 8-10mm





WWB31020

Original Code: WB3102 Glass Door Thickness: 8-10mm





WWB31030

Original Code: WB3103 Glass Door Thickness: 8-10mm





Product Name: Support Bar Main Material: SS304 Finish: Mirror/Satin Applicable Thickness: 8-12mm



★ WCG10020

Original Code: CG102 8-12 Adjustable 800-1000



★ WCG10060

Original Code: CG106 8-12




★ WCG10090Original Code: CG109

8-12

L



★ WCG10110Original Code: CG111



★: Length can be customized according to project demand.


Product Name: Support Bar Main Material: SS304 Finish: Mirror/Satin Applicable Thickness: 8-12mm





★ WCG50010


Original Code: CG501





★ WCG50100


Original Code: CG510 8~12





★ WCG50050

Original Code: CG505





★ WCG50110

Original Code: CG511





Main Material: SS304 Finish: Mirror/Satin

Suitable pipe diameter: Ø19/Ø25.4



WCG20010

Original Code: CG201 Product Name: Glass Clamp Applicable Thickness: 8-12mm



WCG20020

Original Code: CG202 Product Name: Mounting



WCG20030

Original Code: CG203 Product Name: Connector



WCG20100

Original Code: CG210 Product Name: Connector



WCG20080

Original Code: CG208 Product Name: Connector Tube







WTL10010

Original Code: YTL101
Product Name: Mounting
Installation Position: Wall installation





WTL10050

Original Code: YTL105 Product Name: Connector






WTL10090

Original Code: YTL109 Product Name: 135° Connector





WTL10100

Original Code: YTL110 Product Name: Connector





WTL10150

Original Code: YTL115 Product Name: Connector





WTL20110

Original Code: YTL211 Product Name: Mounting







★WYP10010

Original Code: YP101

Maximum custom door width: 800mm

Product Name: Side Hung Spindle Main Material: SS304 Finish: Mirror/Satin

Glass Door Thickness: 8-10mm Applicable Door Width: 600mm Maximum Loading: 45kg





★WYP10040

Original Code: YP104

Maximum custom door width: 800mm







★ WYP10050

Original Code: YP105

Maximum custom door width: 800mm








★WYP14010

Maximum custom door width: 800mm






★: Length can be customized according to project demand.

Main Material: SS304 Finish: Mirror/Satin

Glass Door Thickness: 8-12mm Applicable Door Width: 600mm Maximum Loading: 65kg







★WYP13010

Original Code: YP131

Maximum custom door width: 1000mm







★WYP13040

Original Code: YP134

Maximum custom door width: 1000mm








★WYP13050

Original Code: YP135

Maximum custom door width: 1000mm








★WYP14020


Maximum custom door width: 800mm







Applicable Glass Thickness: 8-12mm




WLS110

Original Code: LS501

Code	Drilling size	Pipe size	B(mm)	D(mm)	F(mm)
WLS1105A/B/T	Ø14	Ø25	475	275	70
WLS1104A/B/T	Ø12	Ø19	457	152	60

Please choose B structure when the gap between the door leaf and the fixed glass is less than 10mm.






WLS150

Original Code: LS505

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS15050	Ø14	Ø25	500	475	70
WI S15040	Ø12	Ø19	476	457	60






WLS160

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS16050	Ø14	Ø25	500	475	70
WLS16040	Ø12	Ø19	476	457	60
WLS16030	Ø14	Ø25	300	275	70
WLS16020	Ø12	Ø19	171	152	60

Applicable Glass Thickness: 8-12mm






WLS180

Original Code: LS511

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS1805A/B	Ø14	Ø25	500	475	70
WLS1804A/B	Ø14	Ø25	400	375	70






WLS510

Original Code: LS512

Code	Drilling size	Pipe size	B(mm)	D(mm)	F(mm)
WLS51050	Ø12	20*20	475	275	60






WLS511

Code	Drilling size	Pipe size	B(mm)	D(mm)	F(mm)
WLS51150	Ø12	25*10	475	275	50



Finish: Mirror/Satin Applicable Glass Thickness: 8-12mm






WLS560

Original Code: LS509

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS56020	Ø12	30*15	180	165	40
WLS56030	Ø12	30*15	290	275	55






WLS561

Original Code: LS513

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS56150	Ø12	30*10	477	457	55





WLS562

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS56250	Ø12	30*15	495	475	55

Finish: Mirror/Satin Applicable Glass Thickness: 8-12mm






WLS563

Original Code: LS516

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS56350	Ø12	25*10	495	475	50




WLS570

Original Code: LS507

Code	Drilling size	Pipe size	B(mm)	D(mm)	F(mm)	G(mm)
WLS57050	Ø12	30*15	475	275	55	65





WLS580

Code	Drilling size	Pipe size	L(mm)	B(mm)	D(mm)
WLS58050	Ø12	30*15	490	475	55




WJT10010

Original Code: JT101

Function Features: Resist water-penetration from the bottom of door sash and the side of door.






WJT10020

Original Code: JT102

Function Features: Resist water-penetration at the side hung door which can open 180°






WJT10030

Original Code: JT103

Function Features: Resist water-penetration at the side hung door which can open 90°







WJT1003T

Original Code: JT103T

Function Features: Resist water-penetration at the gap between sliding glass doors and fixed glass






WJT10040

Original Code: JT104

Function Features: Waterproof at the side

hung door which can open 135°






WJT10050

Original Code: JT105

Function Features: Resist water-penetration from the bottom of door sash and the side of door.








WJT10060

Original Code: JT106

Function Features: Resist water-penetration from the crack of door






WJT10080

Original Code: JT108

Function Features: Resist water-penetration from the crack of sliding glass door.






WJT10090

Original Code: JT109 Function Features: Seal up between glass

and wall or ground.








WJT10110

Original Code: JT111 Function Features: Seal up the fixed glass connecting place.






WJT20010

Original Code: JT201 Function Features: Resist water-penetration from the crack of side-hung door which can open 180° or 90°






WJT20020

Original Code: JT202 Function Features: Resist water-penetration from the crack of sliding glass door.







WJT20030

Original Code: JT203

Function Features: Resist water-penetration from side-hung door crack when installed at 135° Install Method: Clip the glass at side







WJT30010

Original Code: JT301

Function Features: Resist water-penetration from 2 nos door sash and fixed glass door. Install Method: Matched with WJT20030





WJT40010

Original Code: JT401

Function Features: Seal up the position of side

profile.

Install Method: Put in profile groove, using with

WTL30010 or WTL30020.





